START

JITI					1. ECN 196702
	ENGINEERING	CHANGE NOTICE	Pag	e 1 of <u>2</u>	Proj. ECN
2. ECN Category (mark one) Supplemental [] Direct Revision [X]	R. R. Lehrsch	ame, Organization, MSIN, a nall, Environmental rt, H4-67, 376-6788	Restorat		4. Date
Change ECN [] Temporary [] Standby [] Supersedure [] Cancel/Void []	5. Project Title/N Activities I and Sampling Soil	6. Bldg./Sys./Fac. No. Hanford Site		7. Impact Level 2 ESQ	
	8. Document Numbers Changed by this ECN (includes sheet no. and rev.) WHC-SD-EN-SAD-016, Rev.0, 0-A, N/A 0-B				
11a. Modification Work [] Yes (fill out Blk. 11b)	11b. Work Package No. N/A	11c. Modification Work C	complete		ed to Original Condi- or Standby ECN only)
[X] No (NA Blks. 11b, 11c, 11d)	X] No (NA Biks. 11b, Cog. Engineer Signature & Date Cog. Engineer				
		987837415101687834 1900 1900 1900 1900 1900 1900 1900 1900	, <u>e 1</u>)		
13a. Justification Crite (mark one)	ria Change []	Design Improvement	[]	Environmenta	al [x]
AS TOURG	itate Const. []	Const. Error/Omissio	n []	Design Error	r/Omission []
13b. Justification Details Changes were made to 14. Distribution (include na See attached distrib	ame, MSIN, and no. o	•	lent volum		RELEASE STAMP
				B'	AUG 3 1 1993

A-7900-013-2 (06/92) GEF095

ENGI	NEERING CH	ANGE NO	OTICE	Page 2 d	1. ECN (use no	. from pg. 1)
15. Design	16. Cost Impact		· · · · · · · · · · · · · · · · · · ·		17. Schedule Impac	t (days)
Verification Required	ENGINEE	RING	CONS	TRUCTION		
[] Yes	Additional [[] \$	Additional	[] \$	Improvement	[]
[X] No	Savings	[] \$	Savings	[] \$	Delay	
					ing documents identified o document number in Block	
SDD/DD	Tected by the chang		/Stress Analysis		Tank Calibration Ma	
Functional Design C	riteria []	\$tress/	Design Report	Ü	Health Physics Procedure	į į
Operating Specifica	tion []	Interfa	ce Control Drawin	a []	Spares Multiple Uni Listing	t []
Criticality Specifi	cation []	Calibra	tion Procedure	[]	Test Procedures/Specific n	atio []
Conceptual Design R	eport []	Install	ation Procedure	[]	Component Index	[]
Equipment Spec.	ij	Mainten	ance Procedure	ij	ASME Coded Item	įj
Const. Spec.	ij	Enginee	ring Procedure	ij	Human Factor Consideration	į ֿ <u>រ</u>
Procurement Spec.	[]	Operati	ng Instruction	[]	Computer Software	[]
Vendor Information	[]		ng Procedure	. []	Electric Circuit Schedule	[]
OM Manual	[]	Operati Require	onal Safety ment	[]	ICRS Procedure	[]
FSAR/SAR	[]	IEFD Dr	_	[]	Process Control Manual/Plan	[]
Safety Equipment Li	ΓΊ		rangement Drawing	r 1	Process Flow Chart	[]
Radiation Work Perm	it []	Essenti Specifi	al Material cation	[]	Purchase Requisitio	n []
Environmental Impac Statement	t []	•	oc. Samp. Schedul	e []		[]
Environmental Repor	t []	,	ion Plan	[]		[]
Environmental Permi	t []	Invento Request	ry Adjustment	[]		[]
indicate that t	he signing organizanber/Revision	tion has been		affected docu	by this ECN.) Signatures uments listed below. Document Number Ro	
20. Approvals						
OPERATIONS AND ENGI	Signature NEERING		Date	ARCHITECT-ENGI	Signature NEER	Date
Cog Engineer M. J.	Galgoul/	- History	3/2/22	PE		
Cog. Mgr. R. A. Ca	rlson illication	بر الم ^ي	3/10/11/2	PA .		
QA T. L. Benningto	n XXIII	-A Joan	8/24/93	Safety		
Safety K. A. Smith	74 fine		153/72	Design		
Security N/A	م در			Environ.		
Environ. K. A. Gar	- ,	8	119/93	Other		
Projects/Programs						
Tank Waste Remediat	·			SEDARTHEUT OF	ENERGY	
Facilities Operation				DEPARTMENT OF	-	
Restoration & Remed Operations & Suppor	·			Signature or L	etter NO.	
IRM N/A	. 361 41063			ADDITIONAL		
Other ERSS N. R. K	err		mu '			
RRSA J. J. Zimmer	172Kanf	2003	a/15=			
The state of the s	, , , , , , , , , , , , , , , , , , , ,	アソ	5/04/3			<u> </u>

SUPPORTING DOCUMENT 1. Total Pages 290 2. Title 3. Number 4. Rev No. Title: Safety Assessment for Environmental WHC-SD-EN-SAD-016. 0-0 Investigations and Site Characterizations Vol. 1 Vol. 1: Activities Involving Drilling and Sampling of Contaminated Soils 5. Key Words 6. Author Characterization Activities Name: R. R. Lehrschall Safety Assessment APPROVED FOR Vadose Zone Soils PUBLIC RELEASE 8/31/93 N. Soll Organization/Charge Code 29550/HIBBE 7. Abstract 8. PURPOSE AND USE OF DOCUMENT. This blocument was prepared for use within the U.S. Department of Energy and its contractors. It is to be used only to perform, direct, or integrate work under U.S. Department of Energy contracts. This document is not approved for public release until reviewed. 10. RELEASE STAMP PATENT STATUS - This document copy, since it is transmitted in advance of putant clearance, is made available in confidence solely for use in performance of work under contracts with the U.S. Department of Energy. This document is not to be published nor its contents otherwise disseminated or used for porposes other than specified above before patent approval for such release or use has been recurred, upon request, from the Patent Counsel, U.S. Department of thergy Field Office, Richland, WA. OFFICIAL RELEASE BY WHO DISCLAIMER - This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the DATE AUG 3 1 1993 United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by

the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the

United States Government or any agency thereof.

9. Impact Level 2 ESQ

RECORD OF REVISION

(1) Document Number WHC-SD-EN-SAD-016, Vol. 1

Page 2

(2) Title

...

Main Title: Safety Assessment for Environmental Investigations and Site Characterizations

Volume 1: Activities Involving Drilling and Sampling of Contaminated Soils

	CHANGE CONTROL RECORD				
(Z) Davidaia	(4) Description of Change - Replace, Add, and Delete Pages	Authorized for Release			
(3) Revision		(5) Cog. Engr.	(6) Cog. Mgr. Date		
0-A	(7) Replace page 47 with new Prudent Action number 14: Monitoring for flammable gases should be in compliance with requirements in the operating specification document for watch list tanks.	J. R. Freeman- Pollard (signature on file 10/23/92)	R. A. Carlson (signature on file 10/23/92)		
0-A	Replace page 49; text moved.				
<u> </u>	Rev. O released per EDT 160035 Rev. O-A released per ECN 18144 Rev. O-B released per ECN 189908 Rev. O-C released per ECN 196702				
0-B	Revisions have been made to pages 3, 4, 21, 41, 42, 43, 44, 45, 46, 47, 48, and 49. These changes have been made to allow the use of a small quantity of liquid to be used in sample preparation in glove boxes in two trailers. The second change is to operational safety limit one; this change provides a limit on the surface radioactivity for alpha on the drive barrel and split spoon sample tools.	M. J. Galgoul (signature on file)	R. A. Carlson (signature on file)		
^{0−C} RS	One change has been made to page 38 to include drive barrels of equivalent volume.	M. J. Rov Galgoul Clay Falls	R. A. Carlson Racalion 8/24/93		

4.4 ASSESSMENT SUMMARY

√

4.4.1 Assessment of Health and Safety Hazards

The potential hazards and mechanisms available that could result in consequences to the site worker, onsite worker, and the public were evaluated and are discussed in this section.

Based upon the assumptions in the analysis, the worst case consequences to the site worker were found to be exposures to air concentrations slightly above the DAC limit for 90Sr and 239Pu. External exposures appear to be a greater hazard than internal exposures. Controlling internal and external exposures to radiological hazards through good radiation protection practices would assure that occupational limits are not exceeded. Controls are established in Section 5.0 providing recommendations for controlling potential airborne releases and exposures to radioactive materials.

A worst case release event involving the maximum concentrations of radionuclides in three drive barrels has shown that consequences to the onsite worker and the public individuals to be negligible (magnitudes below the lower limits for a low hazard activity). The analysis also evaluated the consequences to the onsite worker at various distances to determine the appropriate boundary for establishment of a zone of control. Based upon the conclusions, it was found that a release due to dispersing the contents of three drive barrels would result in consequences below the limits for a low hazard operation at 10 m (33 ft) from the well site. The exposures expected at 10 m (33 ft) due to an accident would be no greater than 2.88 Rem/h which is below the 5.0 Rem for the onsite worker. The controls to assure consequences to the onsite worker and the public are ALARA require survey and monitoring to limit the measured dose rates of the extracted soils in a drive barrel that will assure integrity of the assessment conclusions. These controls are discussed in Section 5.0.

The maximum inventory of soil materials yielding the highest anticipated exposures was found to be three standard 25 cm (10 in.) drive barrels (actual dimensions 22 cm [8 5/8 in.] inside dia) or drive barrels of equivalent volume. Other smaller sizes of borehole tools were assessed in this analysis to determine potential radiation exposures that may be encountered as a result of the total volumes of contaminated soils removed from the boreholes.

For site worker considerations the estimated external dose rates for the soil characterization activities are identified in Attachment E. These exposure estimates address the highest anticipated radiation exposures that will be encountered by the site worker during these activities. The principal radiation sources are based upon the different configurations of the borehole tools containing maximum volumes of soil, the glove box containing a fully loaded split-spoon sampler, soil sample bottles with maximum volumes of soil, and an evaluation of exposures (based upon different volumes) associated with a waste drum.

A field source check was made of the sample glove box using a cobalt-60 source for determining the possible radiation exposure reduction based upon 1.2 cm (1/2 in.) lead glass shielding and lead impregnated gloves. The readings appear to indicate that the lead glass provides a dose reduction factor of approximately 3 on contact through the lead glass. With the source

38

	Date Received:	INF	ORMATIC	N RELEAS	SE RE	QUEST	Reference: WHC-CM-3-4
	CIACIFOLA		Complete f	or all Types of	Release		
	[] Speech or	pose	[] Refere	nce cal Report		ber (include revision, volu SD-EN-SAD-016, Vol.	
	[] Full Paper only [] Summary suff [] Abstract [] Visual Aid [] Speakers Bureau [] Poster Session	one	[] Thesis Dissertation [] Manual [] Brochu [] Softwa	or		ttachments. elease Required August 23, 19	93
	Title Safety Assessment f and Site Characterization Volume 1: Activities Inv of Contaminated Soil	าร				Unclassified Category	Impact Level 2
\$-\$-	New or novel (patentable) subject Yes If "Yes", has disclosure been subm company? [] No [] Yes Disclosure No(s) Copyrights? [X] No [] Yes If "Yes", has written permission b	itted b	by WHC or other	propriet	ary data [] Ye	ived from others in confide , trade secrets, and/or inves (Identify) es (Identify)	ence, such as ventions?
Mino a	[] No [] Yes (Attach Permissio	n)	,	L			
√ ○	Tidle of Conference on Monting		Complete fo	r Speech or Pres			
\., _* **	Title of Conference or Meeting			Group or	Society	Sponsoring	
	Date(s) of Conference or Meeting Title of Journal	City/S	State	pul	olished? Il materi	edings be [] Yes ial be handed [] Yes	[] No [] No
يده والمع	little of Journal						
,			CHECKL	IST FOR SIGNATOR	IES		
Page 1	Review Required per WHC-CM-3-4	Yes		eviewer - Signat Name (printe	ure Indi	cates Approval <u>Signature</u>	<u>Date</u>
	Classification/Unclassified Controlled Nuclear Information	[]	[x] _	1 11	4193	1.00	
1.5	Patent - General Counsel	[]		GC Memo / H		rangnes H.E.Ma	19mg 8/17/93
6	Legal - General Counsel Applied Technology/Export Controlled Information or International Program	[]	[x]	IGC Memo <i>H.E</i>	Mar	gnez HEMalgr	8/17/93
	WHC Program/Project	IJ	[x]				
	Communications RL Program/Project Publication Services	[] []	[x] <u> </u>	Pak - revieu	not	reg'd per teleem :	4.S. 8/30/92
	Other Program/Project	[]	[x]				
	Information conforms to all applica	able re	quirements. T	he above informa	ition is	certified to be correct.	
		Yes	<u>No</u>	INFORM	IATION RE	LEASE ADMINISTRATION APPRO	VAL STAMP
	References Available to Intended Audience	[x]	[]	Stamp is requiresolution of		ore release. Release is compensed to compense to compe	ntingent upon
	Transmit to DOE-HQ/Office of Scientific and Technical Information Author/Requestor (Printed/Signature	[] •>	[X] Date				
	R. R. Lehrschall my/ pro	., ,	, alil			THE NEED TO BE	
	Intended Audience	(do x h.l)	1 8/18/97	1		2 DQ	
		X] Ext				्र श्राजान	
	Responsible Manager (Printed/Signat	ture)	Date O/./				
	N R Kerr D?/		8/18/53	Date Cancelled	1	Date Disapprove	

	DISTRIE	BUTIO	N SHE	ET			
To From					Page 1 of 1		
Distribution R. R.		Lehrschall			Date August 19, 1993		
Project Title/Work Order	-				EDT No.		
Safety Assessment for Envir Characterizations Volume 1: Activities Involv Contaminated Soils, Rev. O-	ing Drilling			ite	ECN No. 1	196702	
Name		MSI N	Text With All Attac h.	Text Only	Attach. / Append ix Only	EDT/E CN Only	
 I. L. Bennington M. D. Campbell R. A. Carlson J. A. Charboneau L. P. Diediker G. A. Gano J. R. Freeman-Pollard J. Galgoul O. Hess N. R. Kerr R. Lehrschall J. A. Locklair J. E. Skoglie W. Spicer W. Spicer J. S. Thompson A. Tredway D. B. Tullis C. R. Webb J. J. Zimmer Central Files (original + 2) ERSS Files (3) Oocket Files (2) 		H4-16 S3-90 H6-03 S3-10 T1-30 X0-21 H6-03 H6-03 L4-74 H4-67 H4-67 N3-05 N3-05 R3-54 L6-57 H6-04 H4-67 L8-04 H4-67 L8-04		X X X X X X X X X X X X X X X X X X X			